

# **Request for Quotation**

10:	Date:	September 5, 2022
Tel. No.:	Quotation #:	PS 022-09-150
Fax No.	ABC:	
Attention:		
Sir/Madam:		
Please quote your lowest price on the items/s listed below, your representative.	stating the shortest time of delivery and subm	it this from duly signed by
	RODR	IGO LI OJENAL
	SAO, Adi	ministrative Division

1 NO:	ITEM & DESCRIPTION	QTY	UNIT	BRAND	UNIT PRICE	TOTAL PRICE
	Procurement of:					
1	ULTRA-HD VIDEO CONFERENCING SYSTEM FOR SECRETARIAT	1	LOT			
	Minimum Specification and Inclusions:					
	Ultra-HD Camera					
	- Ultra-HD imaging system supports:					
	4K, 1440 p, 1080 p, 900 p, 720 p, and SD at 30 fps					
	1080 p, 720 p at 30 fps, and 60 fps					
	- Smooth motorized pan, tilt, and zoom					
	Pan: ±90°					
	Tilt: +50° / -90°					
	15x HD zoom					
	- Field of View:		5			
	Diagonal: 90° Horizontal: 82.1°					
	Vertical: 52.2					
	- Autofocus					
	- At least 3 cameras presets					
	- Portable security lock for laptop					
	- Video mute/ unmute LED indicator					
	- Standard tripod thread					
	- Lens parks at -90° in sleep mode for assured privacy					
	MIC POD					
	- Pick up range: 4.5 m diameter					
	- Four omnidirectional microphones forming eight acoustic beams					
	- AEC (Acoustic Echo Cancellation)					
	- VAD (Voice Activity Detector)				2	
	- Background noise suppression					
	- Mute button with LED status indicator					
	- Captive 2.95 m 12-pin cable					
	- Daisy chain up to 7 Mic Pods					
	- Frequency response: 90 Hz - 16 kHz					
	- Sensitivity: >-27 dB +/ -1 dB @ 1 Pa	1				
	- Microphone data rate: 48 kHz					
	- Recommended # of participants:	1				
	(One Mic Pod): 10					
	Additional participants per Pod: 6					
	Recommended participants with 7 Mic Pods: 46				7.5	
	Modular Speaker					
	- High-performance 76 mm driver with a rare-earth magnet					
	Patent-pending suspension system eliminates vibration-induced camera shake and audio interference					
	- Mini XLR cable connects to Display Hub for both signal and power					
	- Speaker volume 95 dB SPL @1 W, 100 dB SPL @7.5 W, both +					
	/ -2 dB at 1/2 meter				1	
	- Sensitivity: 95+ / -2dB SPL at ½ meter - Distortion: 200 Hz-300 Hz <2.5% , 300 Hz-10 kHz <1%@7.5 W					
	- Distortion: 200 Hz-300 Hz <2.5%, 300 Hz-10 kHz <1%@7.5 W - Speaker sampling rate: 48 kHz					
	- Speaker Sampling rate. 40 kmz.		1 1			

#### Table Hub

- Single CAT6A cable connection to Display Hub (5 m cable included, supports customer-supplied cables up to 50 m)
- Active speaker detection analyzes the audio from up to 7 Mic Pods and 56 beams every 8ms12 Pin connector for Mic Pod
- HDMI Type A passthrough to Display Hub (x2), USB Type C, USB Type A (reserved for future capability), USB Type B (connects to meeting room computer), RJ45 (reserved for future capability)
- Power input

#### Display Hub

- HDMI Type A (x2) (connects to displays)
- USB C (connects to Rally Camera)
- USB Type B (connects to meeting room computer)
- RJ45 (connects to Table Hub)
- Mini XLR (x2) Powers one or two Rally Speakers
- Power input

#### Remote Control

- RF remote control (line of sight not required)
- CR2032 batteries (included)

## Cables/Power (Minimum)

- Camera to Display Hub
- 2 m USB 3.1 Type C to USB Type C 3.1
- Conference Room Computer to Display or Table Hub
   2 m USB 3.1 Type A to USB Type B
- Display Hub to Table Hub
- $5\ m$  CAT6A Ethernet cable (supports customer-supplied cables up to  $50\ m$ )
- Display Hub to Speaker (x2)
- 2.95 m Mini XLR (supports customer-supplied extension cables up to 3 m)
- Conference Room Computer to Display (x2)
- 2 m HDMI A Mic Pod 2.95 m: Hardwired with 12 pin connector
- Power Outlets to Power Supplies (x2)
- At least 1 m
- Power Supplies to Table Hub / Display Hub (x2)
   At least 1.5 m
  - least 1.5 m
  - \* Complete Cables for all connectivity equipment with extra one (1) cable each

## Compatibility and Certifications

- Plug-and-play USB connectivity
- Certified for Skype for Business and Microsoft Teams
- Zoom Certified
- Fuze Certified
- Certified for Google Hangouts Meet Hardware
- Microsoft Cortana® certified
- Cisco Jabber® and WebEx Compatible
- Compatible with Blue Jeans, BroadSoft, GoToMEeting, Vidyo, and other video conferencing, recording, and broadcasting applications that support USB cameras

### System Requirements

 Operating Systems: Windows 7, Windows 8, or Windows 10, MacOS 10.10 or higher

### WARRANTY AND SUPPORT

- i. At least one (1) year which includes technical support, parts labor and services
- ii. Maximum of one (1) day response time from the time the supplier receives the concern through email or phone.
- ii. 8AM to 5PM technical/costumer support for their equipment, during office hours five (5) days a week, excluding holidays.
- iv. Item replacement after receipt of report through email, phone all or SMS messages for defective scanner from CMS upon unboxing, installation and configuration.

Note: Kindly provide Statement of Compliance and Warranty Certificate as part of the technical requirements. The supplier will be allowed to deviate from the requirements of this RFQ provided that said deviations will be equal or greater than those stipulated. Furthermore, any and all deviations should be listed and explained in detail within their proposal under a separate and dedicated provision.

(Price Vat-Included)

Delivery Period:		
Varranty:		
Price Validity:		
		SIGNATURE OF AUTHORIZED
		REPRESENTATIVE
ote:		
Please quote within day	s from the date of RFQ.	
	and valid documentary legal requirements upon sendir	ng the filled out quotation
. [] Mayor's / Business Permi	, ,	• • • • • • • • • • • • • • • • • • • •
	umber: Membership: [ ] Platinum [ ]	Red
	eturn (for Small Value Procurement);	
	nt for Small Value Procurement (for above P50K);	
	usly submitted the above legal requirements may no lon	ger require its re-submission
. [ ] =	is your may no sale a sagar requirement may no sen	gor require no re cazimosioni
ir,		
	hat I have necessally conducted this convers, which the	price/s gueted are true and correct, and the
	hat I have personally conducted this canvass, which the he company submitting the quotation is genuine.	e price/s quoted are true and correct, and the
ignature of representative of t	the company submitting the quotation is genuine.	1-001
		SCHOOL CONTRACT
		ISRAEL C. DALLUAY
		SIGNATURE OF CANVASSER
r more information, you may c	ontact us:	
elephone: 8836-3314		
elefax: 8813-1174		

osg.procurement2@gmail.com

OSG-HA-QF-039 Rev.00 (05 July 2018)

Please send your quotation to:

# STATEMENT OF COMPLIANCE

PARTICULARS	STATEMENT OF COMPLIANCE
Procurement of:	
ULTRA-HD VIDEO CONFERENCING SYSTEM FOR SECRETARIAT	
Minimum Specification and Inclusions:	
Ultra-HD Camera	
- Ultra-HD imaging system supports:	
<b>4K</b> , <b>1440</b> p, 1080 p, 900 p, 72 <b>0</b> p, and SD at 30 fps	
1080 p, 720 p at 30 fps, and 60 fps	
- Smooth motorized pan, tilt, and zoom	
Pan: ±90°	
Tilt: +50° / -90°	,
15x HD zoom	
- Field of View:	1 ,
Diagonal: 90°	9
Horizontal: 82.1°	
Vertical: 52.2	
- Autofocus	
- At least 3 cameras presets	
<ul> <li>- Portable security lock for laptop</li> <li>- Video mute/ unmute LED indicator</li> </ul>	
- Video mute/ unmute LED indicator - Standard tripod thread	
- Lens parks at -90° in sleep mode for assured privacy	
MIC POD	
- Pick up range: 4.5 m diameter	
- Four omnidirectional microphones forming eight acoustic beams	
- AEC (Acoustic Echo Cancellation)	
- VAD (Voice Activity Detector)	
- Background noise suppression	
- Mute button with LED status indicator	
- Captive 2.95 m 12-pin cable	
- Daisy chain up to 7 Mic Pods	
- Frequency response: 90 Hz - 16 kHz	
- Sensitivity: >-27 dB +/ -1 dB @ 1 Pa	
- Microphone data rate: 48 kHz	
- Recommended # of participants:	
(One Mic Pod): 10	
Additional participants per Pod: 6	
Recommended participants with 7 Mic Pods: 46	
Modular Speaker	
- High-performance 76 mm driver with a rare-earth magnet	
- Patent-pending suspension system eliminates vibration-induced	
camera shake and audio interference	
- Mini XLR cable connects to Display Hub for both signal and power	
- Speaker volume 95 dB SPL @1 W, 100 dB SPL @7.5 W, both +	
/ -2 dB at 1/2 meter	
- Sensitivity: 95+ / -2dB SPL at ½ meter	
- Distortion: 200 Hz-300 Hz <2.5% , 300 Hz-10 kHz <1%@7.5 W	
- Speaker sampling rate: 48 kHz	
Table Hub	
- Single CAT6A cable connection to Display Hub (5 m cable included	

	COMPLIANCE
supports customer-supplied cables up to 50 m)  - Active speaker detection analyzes the audio from up to 7 Mic Pods and 56 beams every 8ms12 Pin connector for Mic Pod  - HDMI Type A passthrough to Display Hub (x2), USB Type C, USB Type A (reserved for future capability), USB Type B (connects to meeting room computer), RJ45 (reserved for future capability)  - Power input	
Display Hub  - HDMI Type A (x2) (connects to displays)  - USB C (connects to Rally Camera)  - USB Type B (connects to meeting room computer)  - RJ45 (connects to Table Hub)  - Mini XLR (x2) Powers one or two Rally Speakers  - Power input	
Remote Control - RF remote control (line of sight not required) - CR2032 batteries (included)	
<ul> <li>Camera to Display Hub</li> <li>2 m USB 3.1 Type C to USB Type C 3.1</li> <li>Conference Room Computer to Display or Table Hub</li> <li>2 m USB 3.1 Type A to USB Type B</li> <li>Display Hub to Table Hub</li> <li>5 m CAT6A Ethernet cable (supports customer-supplied cables up to 50 m)</li> <li>Display Hub to Speaker (x2)</li> <li>2.95 m Mini XLR (supports customer-supplied extension cables up to 3 m)</li> <li>Conference Room Computer to Display (x2)</li> <li>2 m HDMI A Mic Pod 2.95 m: Hardwired with 12 pin connector</li> <li>Power Outlets to Power Supplies (x2)</li> <li>At least 1 m</li> <li>Power Supplies to Table Hub / Display Hub (x2)</li> <li>* Complete Cables for all connectivity equipment with extra one (1) cable each</li> </ul>	
Compatibility and Certifications  - Plug-and-play USB connectivity  - Certified for Skype for Business and Microsoft Teams  - Zoom Certified  - Fuze Certified  - Certified for Google Hangouts Meet Hardware  - Microsoft Cortana® certified  - Cisco Jabber® and WebEx Compatible  - Compatible with Blue Jeans, BroadSoft, GoToMEeting, Vidyo, and other video conferencing, recording, and broadcasting applications that support USB cameras	

PARTIC <b>ULARS</b>	STATEMENT OF COMPLIANCE
WARRANTY AND SUPPORT	
<ul> <li>i. At least one (1) year which includes technical support, parts</li> </ul>	
labor and services	
ii. Maximum of one (1) day response time from the time the	
supplier receives the concern through email or phone.	
ii. 8AM to 5PM technical/costumer support for their equipment,	
during office hours five (5) days a week, excluding holidays.	
iv. Item replacement after receipt of report through email, phone	
all or SMS messages for defective scanner from CMS upon	
unboxing, installation and configuration.	
Note: Kindly accomplish this Statement of Compliance and Warranty Certificate as part of the technical requirements. The supplier will be allowed to deviate from the requirements of this RFQ provided that said deviations will be equal or greater than those stipulated. Furthermore, any and all deviations should be listed and explained in detail within their proposal under a separate and dedicated provision.	

Conforme by:	
	SIGNATURE OVER PRINTED NAME
Company:	